

# Ridgewood

## Jarraah Flooring *Eucalyptus Marginata*

### Technical Information

Density (kg/m <sup>3</sup> dry)	820	Durable	Yes
Specific Gravity	0.8	Sapwood Lyctid Susceptible	Yes
Modulus of Rupture (MPa dry)	112	Machining	Fair
Modulus of Elasticity (GPa dry)	13	Resistance to Split in Nailing	Fair
Radial Shrinkage %	5	Resistance to Split in Screwing	Fair
Tangential Shrinkage %	8	Gluing	Good
Hardness (Janka) (kN)	8.5	Growing Region	WA
Finish	Good	Availability	Widely
Stability	Good		

### Description

Jarraah's deep-pink to reddish-brown tones make it a highly sought-after timber with architects and designers now choosing it to complement modern design elements such as glass, granite and steel.

Jarraah's high density makes it a very hard-wearing timber suitable for a variety of flooring applications. It's even grain and lustrous texture adds an undeniable richness and depth to residential and commercial interiors alike.

Ridgewood Timbers carries stocks of Jarraah Flooring at its Adelaide warehouse for immediate delivery.

#### Sizes

Tongue & Grooved Secret Nailed End Matched  
19×80  
19×130  
Tongue & Grooved Overlay  
13×85  
13×105

Ridgewood Timber can supply matching stair componentry and stair treads.

