

Ridgewood

Karri Decking

Eucalyptus Diversicolor

Technical Information

Density (kg/m ³ dry)	900	Stability	Good
Specific Gravity	0.88	Sapwood Lyctid Susceptible	No
Modulus of Rupture (MPa dry)	132	Machining	Fair
Modulus of Elasticity (GPa dry)	19	Resistance to Split in Nailing	Fair
Radial Shrinkage %	4.5	Resistance to Split in Screwing	Fair
Tangential Shrinkage %	10	Gluing	Fair
Hardness (Janka) (kN)	9	Growing Region	WA
Finish	Good	Availability	Widely

Description

Hard-wearing Karri decking from Ridgewood Timber is a popular choice among builders and renovators. Karri is a dense, tough timber and its attractive, pink to reddish brown hues bring a touch of class to decking projects.

Karri is naturally good-looking and the use of natural oils helps bring out its even, interlocking grain and rich textures.

Karri grows straight and tall in its natural environment and this uniformity can be used to great effect on new decks or those being integrated with classic renovations.

This versatile Australian timber adds value and practicality to a broad range of decking applications.

Sizes

Pencil Round Four Corners
65mm × 20mm
85mm × 20mm
135mm × 20mm

BAL

Bush-fire Attack Level 29
All AS 3959 Required Applications

